Quality Control

							DQA:	Date:			
NCR: Y	es / No			WORK ORDER NON-	CONFORI	MANCE / UPDATE	QA Closed:	Date:			
Work Orde	r:		-	<b>DISPOSITION</b> Rework	]	AGAINST DEPARTMENT/PROCESS  Skid-tube Crosstube Water Jet Engineerin					
Part N	lo			Scrap Use-as-is	- I	Machining Small Fab noforming Finishing	Rec/Sto	Prod. Eng. Coor.  Rec/Store/Packaging			
NCR N	lo			Work Order Update	pdate Large Fab Composite Supplier						
Root				Description of work order update	Initial	Action	Sign &				
Cause	Date	Step	Qty	or Non-conformance	Chief Eng	Description	Date	Verification	QC Inspector		
Ooc/Data  Equip/Tooling  Operator  Material  Setup											
Other [		1			1			1	{		

Landing	g Gear	General	 _	 _	
	Bending	Bend	Grain	Ovalized	Pressure/Forced
	Centre Not Concentric to O/S	BOM/Route	Hardware	Over/Under tolerance	Temperature/Cure
	Cracks	Broken/Damaged	Inspection Incomplete	Part Incorrect	Weld
	Crushed/Crimped	Burrs	Instructions Incomplete/Unclear	Part Lost/Missing	Wrong Stock Pulled
	Cuffs	Contamination	Maintenance	Part Moved	
	Heat Treat	Countersink	Mislabeled	Positioned Wrong	_
	Inspection Strip in Tube	Cut Too Short	Misread	Power Loss/Surge	Other
	Ripples in Bend	Drill Holes	Offset		
	Torque Waves in Extrusion	Drawing	Out of Calibration		
	Turning Sequence	Finish	Out of Secuence		
Γ	Wave/Twist in Tube	Folio	Outside Dimensions		

FAULT CATEGORY

Process
Supplier
Training
Unapproved

	Work Order ID 94500  December-19-12 11:31:53 AM			*94500*										
Item ID: Revision ID:	D3121-21			Accept	*N900	<b>040</b> ′	100*	Set	up Start Stop	IV	S1*			
Item Name: Start Date: Required Date: Reference:	Bolt 12/19/12 1/18/13	Start Qty: 80.00 Req'd Qty: 80.00	*80* *80*		Cust Item II Customer:	D:				IX	S2*			
Approvals:	Process Pl	an:	Date:	Tooling:	Da	ite:		Rui		1/1	R1*			
	QC:		Date:	SPC (Y/N):	Da	ıte:			Stop	*N	R2*			
Sequence ID/ Work Center II 130 *120* Packaging Packaging	D	Operation Description Identify as per dwg & Sto	ock Location:S}35	Set Up/ Run Hours 0.00 &	Tool ID			-	Reject Oty //3/c//	Reject Number	Insp. Stamp			
140 *140* QC Quality Control		QC21- Final Inspection -  Memo	Work Order Release	0.00				13	11/2	187				

6/13-01-3-8

											DQA:	Date:	
NCR:	Yes /	No No				WORK ORDER NON-C	100	NFORN	/ANCE / UP	DATE			
		<u>.</u> .				<u> </u>			<b></b>		QA Closed	Date	•
Work Orde	or.					DISPOSITION				AGAINST DE	PARTMENT	/PROCESS	
	_					Rework		•				Water Jet	Engineering Quality
Part i	NO				<del></del>	Scrap Machining Small Fab Use-as-is Thermoforming Finishing			ł	Other			
NCR No				Work Order Update				Composite	1 100/310	re/Packaging Supplier			
Root					Descrip	otion of work order update	Π	Initial	Act	ion	Sign &		
Cause	Date Step Qty			or Non-conformance	Ch	nief Eng	Descr	ription	Date	Verification	QC Inspector		
Doc/Data													
Equip/Tooling								ĺ					
Operator	Ш												
Material	rial 🔲												
Setup													
Other													
Process													
Supplier													
Training													
Unapproved													
						F	AUI	LT CATE	GORY				
Landi	ng Ge	ar				General		_			_		-
	В	ending				Bend		Grain			Ovalized	Ĺ.	Pressure/Forced
		entre No	ot Concer	ntric to O	/s	BOM/Route		Hardwa	re		Over/Unde	r tolerance	Temperature/Cure
		racks				Broken/Damaged		Inspecti	on Incomplete	L_	Part Incorre	ect	Weld
	Crushed/Crimped		Burrs		Instruct	ions Incomplete/l	Jnclear	Part Lost/M	lissing	Wrong Stock Pulled			
	c	uffs				Contamination		Mainte	nance		Part Moved	· _	
	Пн	eat Trea	t			Countersink		Mislabe	led		Positioned	Wrong	
	Ir	rspection	n Strip in	Tube		Cut Too Short		Misread	f		Power Loss	/Surge	Other
	Ripples in Bend Drill Holes				Offset			_					

Out of Calibration

Out of Sequence

Outside Dimensions

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

# **Picklist Print**

December-19-12 11:31:53 AM

Work Order ID:

94500

Parent Item:

D3121-21

Parent Item Name:

Bolt

**Start Date: 12/19/12** 

Required Date: 1/18/13

**Start Qty: 80.00** 

Required Qty: 80.00

Comments:

IPP A04.02.09New issueKJ/DS

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M303H0.500 303 HEX BAR .500		Purchased	No			110	f	19.6620	0.0417 3.	938.336		H	13-01-2
				Location		Loc Qty	<u>Lo</u>	c Code					
				MAT018		19.662							
				10977	78	6.262							
				12138	30	1.4							
				12327	79	12			3.	938			

Page 1

				•								DQA:	Dat	e:	
NCR:	Yes	/ No				WORK ORDER NON-C	100	NFORN	MANCE / UP	DATE					
		····				j		,			(	QA Closed:	Dat	e:	***
Work Orde	er.					DISPOSITION				AGAINST D	EΡ	ARTMENT	PROCESS		
Part No.  NCR No.				Scrap Machinir Use-as-is Thermoformir		Skid-tube Machining oforming Large Fab	Crosstube Small Fab Finishing Composite	Fab Prod. Eng. Cool hing Rec/Store/Packagin		- <u>-</u>		Engineering Quality Other			
Root					Descri	ption of work order update		Initial	Ac	tion	T	Sign &	•		
Cause		Date	Step	Qty	(	or Non-conformance	Ch	ief Eng	Desc	ription		Date	Verification	۱	QC Inspector
Doc/Data Equip/Tooling Operator Material Setup Other Process Supplier Training Unapproved												·			
						<del></del>	AUL	T CATE	GORY						
Landi	Landing Gear  Bending Centre Not Concentric to O/S Cracks Crushed/Crimped Cuffs Heat Treat Inspection Strip in Tube			General Bend BOM/Route Broken/Damaged Burrs Contamination Countersink Cut Too Short		Grain Hardware Inspection Incomplete Instructions Incomplete/Unclear Maintenance Mislabeled Misread				Ovalized Over/Under Part Incorred Part Lost/Mi Part Moved Positioned V Power Loss/	ct ssing Vrong		Pressure/Forced Temperature/Cure Weld. Wrong Stock Pulled Other		
	Ripples in Bend Drill Holes			Offset											

Out of Calibration

Out of Sequence
Outside Dimensions

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Turning Sequence

Wave/Twist in Tube

Torque Waves in Extrusion

Drawing

Finish

Folio

DART AEROSPACE LTD	Work Order:	94500
Description: Bolt	Part Number:	D3121-21
Inspection Dwg: D3121 Rev: E		Page 1 of 1

# FIRST ARTICLE INSPECTION CHECKLIST

X First Article Prototype


		· · · · · · · · · · · · · · · · · · ·		,	,	<del>_</del>
Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
0.375	+/-0.010	, 375	/		SL08	Veur
0.050 - 0.060	N/A	.057	V		1	
0.080	+/-0.010	.085				
10-32UNF3A	N/A	10-32 3A			V	
Major Diameter	Max: 0.190 Min: 0.184	.189			5002	Mic
Over wire	Max: 0.2146 Min: 0.2123	. 213	<b>V</b>		į.	

Measured by:	M	Audited by:	\$'·x	Prototype Approval:	N/A
Date:	13-01-27	Date:	13-1-28	Date:	N/A

Rev	Date	Change	Revised by	Approved
Α	04.02.27	New Issue	. KJ/RF	
В	06.03.09	Dwg Rev. updated	KJ/JLM	
С	06.06.14	Dwg Rev. updated	KJ/JLM	
D	08.01.16	Dwg Rev. updated	KJ/EC/DD,	
Ε	08.07.23	Dimensions updated	KJ/DD 🚓	N.




DESIG	# 6		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHEC	KED	APPROVED	DRAWING NO. REV. E
	#		D3121 SHEET 1 OF 10
DATE			TITLE SCALE
07.1	11.07		BRACKET ASSEMBLY 1:2
Α		02.04.15	NEW ISSUE
В		03.01.16	ADD RIDGES; ADD MAT'L PROP; FIX P/N ADD -141/-143/-144/-145/-146
С		04.02.17	ADD CLEARANCE; USE -241 BEARING
D		06.05.17	D3121-25 CAP WAS 1.024, NOW 1.000
Ε		07.11.07	ADD TOLERANCE TO 0.032 (DETAIL B)



D3121-21 B0 D3121-241 BEARING ASSE	• •
D3121-11 Bf	RACKET


# D3121-041 BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-33)



# D3121-043 (SHOWN) / D3121-044 (OPPOSITE) BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-37/-38)



D3121-15/-16 BRACKET




## D3121-045 (SHOWN) / D3121-046 (OPPOSITE) BRACKET ASSEMBLY

(REPLACES PREMIER P/N B30-23000-35/-36)

Copyright © 2002 by DART AEROSPACE LTD




DESIGN	DRAWN BY	DART AEROSF HAWKESBURY, ONTAI	
CHECKED	APPROVED	DRAWING NO.	REV. E
#		D3121	SHEET 2 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2






DESIGN	DRAWN BY	DART AEROS HAWKESBURY, ONT.	
CHECKED	APPROVED,	DRAWING NO.	REV. E
#	<del>-     </del>	D3121	SHEET 3 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:1

**DETAIL A:** SCALE 2:1 VIEW ROTATED






SECTION C-C


RELEASED

**DETAIL B:** RIDGE DETAIL PARTIAL SECTION SCALE 1:20





	DESIGN #	DRAWN BY	DART AEROS HAWKESBURY, ONT	
	CHECKED	APPROVED,	DRAWING NO.	REV. E
	#	<b>-#</b>	D3121	SHEET 4 OF 10
ł	DATE		TITLE	SCALE
	07.11.07		BRACKET ASSEMBLY	1:1



## D3121-11 BRACKET

- 1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B) MIN ULTIMATE TENSILE = 150 ksi MIN YIELD TENSILE = 100 ksi
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N & LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005



DESIGN #	DRAWN BY	DART AEROS HAWKESBURY, ON	
CHECKED	APPROVED	DRAWING NO.	REV. E
4	<b>#</b>	D3121	SHEET 5 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



 $\oplus$ 

DAVBT!

D3121-13

1.220 - 1.800 **-**

 $\bigoplus_{i \in I}$ 

 $\bigoplus$ 

2.63


<u>6</u>

0.400 -

1.280

0.960

0.330 -




# D3121-13 BRACKET (SHOWN) D3121-14 BRACKET (OPPOSITE)

- 1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B) MIN ULTIMATE TENSILE STRENGTH = 150 ksi MIN YIELD TENSILE STRENGTH = 100 ksi
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N & LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005



DESIGN #	DRAWN BY	DART AEROSP HAWKESBURY, ONTAR	· ·
CHECKED A	APPROVED	DRAWING NO.	REV. E
91		D3121	SHEET 6 OF 10
DATE		TITLE	SCALE
07.11.07.		BRACKET ASSEMBLY	1:2




# D3121-15 BRACKET (SHOWN) D3121-16 BRACKET (OPPOSITE)

- 1) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B)
  MIN ULTIMATE TENSILE = 150 ksi
  MIN YIELD TENSILE = 100 ksi
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES
- 4) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 5) ENGRAVE DART P/N AND LOGO AS SHOWN
- 6) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

Copyright © 2002 by DART AEROSPACE LTD



DESIGN #	DRAWN BY	DART AEROS HAWKESBURY, ON	
CHECKED	APPROVED	DRAWING NO.	REV. E
#		D3121	SHEET 7 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2



#### D3121-111 BRACKET

- 1) REPLACES PREMIER P/N B32-23001-11
- 2) MATERIAL: 17-4 SS PER AMS 5604/5643 (REF DART SPEC. M17-4-B) MIN ULTIMATE TENSILE = 150 ksi


MIN YIELD TENSILE = 100 ksi

- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHEWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015
- 6) ENGRAVE DART P/N & LOGO IN AREAS SHOWN
- 7) HOLE IN SPIGOT TO BE CONCENTRIC WITHIN 0.005

Copyright © 2002 by DART AEROSPACE LTD




DESIGN #	DRAWN BY	DART AEROS HAWKESBURY, ONTA	
CHECKED	APPROVED	DRAWING NO.	REV. E
4	-#	D3121	SHEET 8 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2







DESIGN A DRAWN BY		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED,	DRAWING NO.	REV. E
4	<b>-</b>   -	D3121	SHEET 9 OF 10
DATE		TITLE	SCALE
07.11.07		BRACKET ASSEMBLY	1:2











#### D3121-17 WASHER (SCALE 2:1)

- 1) REPLACES PREMIER P/N B32-23001-17
- 2) MATERIAL: AISI 303 SS ROUND BAR, ANNEALED (REF DART SPEC. M303R)
- 3) TOLERANCÈS ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015



#### D3121-19 BEARING (SCALE 1:1)

- 1) POSSIBLE SUPPLIER: KING BEARING P/N 6000-2ZJ/EM FAFNIR P/N 9100KDD
- 2) ALL DIMENSIONS ARE IN INCHES




#### D3121-23 BEARING (SCALE 1:1)

- 1) POSSIBLE SUPPLIER: SKF P/N 61900-2Z OR KML P/N 6900-ZZ
- 2) ALL DIMENSIONS ARE IN INCHES

# 0.375 TAP 10-32 UNF-3A 0.080 0.050 TO 0.060

#### D3121-21 BOLT (SCALE 1:1)

- 1) MATERIAL: AISI 303 SS HEX, ANNEALED (REF DART SPEC. M303H0.500)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.005 TO 0.015




#### D3121-25 CAP (SCALE 1:1)

1) MATERIAL: DELRIN ROD, Ø1.25

(REF DART SPEC. M-DELRIN-R1.250)

- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES



D3121-241 BEARING ASSEBLY (SCALE 1:1)

Copyright © 2002 by DART AEROSPACE LTD